

ChiliProject - Bug # 863: missing journals fixture at test/unit/issue_test.rb

Status:	Closed	Priority:	Normal
Author:	Toshi MARUYAMA	Category:	
Created:	2012-02-06	Assignee:	
Updated:	2012-05-20	Due date:	
Remote issue URL:			
Affected version:	2.6.0		
Description:	On empty database.		
	<pre>1) Failure: test_stale_issue_should_not_send_email_notification(IssueTest) [test/unit/issue_test.rb:613]: <1> expected but was <0>. </pre>		

Associated revisions

2012-05-20 10:18 am - Felix Schäfer

Load all required fixtures on issue unit test #863

Contributed by Toshi MARUYAMA

History

2012-05-19 08:47 pm - Felix Schäfer

I could not reproduce this, can you give me more info about the platform, ruby and DB used?

2012-05-20 07:53 am - Toshi MARUYAMA

<pre>

```
$ git log -n1 | cat
commit 9cd14ca152efca10dba9745526d7d8f4ab480dec
Author: Andrew Smith <xxxxxxxxxxxx>
Date: Sat May 19 10:44:24 2012 +0100
```

Fix a typo when calculating the menu X position. #1007

```
$ ls db
migrate seeds.rb
```

```
$ rake db:migrate RAILS_ENV=test
== Setup: migrating =====
-- create_table("attachments", {:force=>true})
-> 0.0047s
-- create_table("auth_sources", {:force=>true})
-> 0.2167s
-- create_table("custom_fields", {:force=>true})
-> 0.0042s
-- create_table("custom_fields_projects", {:force=>true, :id=>false})
-> 0.0023s
-- create_table("custom_fields_trackers", {:force=>true, :id=>false})
-> 0.0024s
```

```

-- create_table("custom_values", {:force=>true})
-> 0.0045s
-- create_table("documents", {:force=>true})
-> 0.0036s
-- add_index("documents", ["project_id"], {:name=>"documents_project_id"})
-> 0.0012s
-- create_table("enumerations", {:force=>true})
-> 0.0027s
-- create_table("issue_categories", {:force=>true})
-> 0.0029s
-- add_index("issue_categories", ["project_id"], {:name=>"issue_categories_project_id"})
-> 0.0012s
-- create_table("issue_histories", {:force=>true})
-> 0.0042s
-- add_index("issue_histories", ["issue_id"], {:name=>"issue_histories_issue_id"})
-> 0.0013s
-- create_table("issue_statuses", {:force=>true})
-> 0.0034s
-- create_table("issues", {:force=>true})
-> 0.0060s
-- add_index("issues", ["project_id"], {:name=>"issues_project_id"})
-> 0.0013s
-- create_table("members", {:force=>true})
-> 0.0040s
-- create_table("news", {:force=>true})
-> 0.0037s
-- add_index("news", ["project_id"], {:name=>"news_project_id"})
-> 0.0011s
-- create_table("permissions", {:force=>true})
-> 0.0039s
-- create_table("permissions_roles", {:force=>true, :id=>false})
-> 0.0037s
-- add_index("permissions_roles", ["role_id"], {:name=>"permissions_roles_role_id"})
-> 0.0013s
-- create_table("projects", {:force=>true})
-> 0.0045s
-- create_table("roles", {:force=>true})
-> 0.0029s
-- create_table("tokens", {:force=>true})
-> 0.0034s
-- create_table("trackers", {:force=>true})
-> 0.0031s
-- create_table("users", {:force=>true})
-> 0.0053s
-- create_table("versions", {:force=>true})
-> 0.0039s
-- add_index("versions", ["project_id"], {:name=>"versions_project_id"})
-> 0.0021s
-- create_table("workflows", {:force=>true})
-> 0.0040s
== Setup: migrated (0.5970s) =====
== IssueMove: migrating =====

```

```

== IssueMove: migrated (0.0083s) =====
== IssueAddNote: migrating =====
== IssueAddNote: migrated (0.0087s) =====

== ExportPdf: migrating =====
== ExportPdf: migrated (0.0123s) =====

== IssueStartDate: migrating =====
-- add_column(:issues, :start_date, :date)
-> 0.0016s
-- add_column(:issues, :done_ratio, :integer, {:null=>false, :default=>0})
-> 0.0015s
== IssueStartDate: migrated (0.0039s) =====

== CalendarAndActivity: migrating =====
== CalendarAndActivity: migrated (0.0143s) =====

== CreateJournals: migrating =====
-- create_table(:journals, {:force=>true})
-> 0.0053s
-- create_table(:journal_details, {:force=>true})
-> 0.0045s
-- add_index("journals", ["journalized_id", "journalized_type"], {:name=>"journals_journalized_id"})
-> 0.0014s
-- add_index("journal_details", ["journal_id"], {:name=>"journal_details_journal_id"})
-> 0.0012s
-- drop_table(:issue_histories)
-> 0.0016s
== CreateJournals: migrated (0.0249s) =====

== CreateUserPreferences: migrating =====
-- create_table(:user_preferences)
-> 0.0022s
== CreateUserPreferences: migrated (0.0024s) =====

== AddHideMailPref: migrating =====
-- add_column(:user_preferences, :hide_mail, :boolean, {:default=>false})
-> 0.0015s
== AddHideMailPref: migrated (0.0017s) =====

== CreateComments: migrating =====
-- create_table(:comments)
-> 0.0031s
== CreateComments: migrated (0.0034s) =====

== AddNewsCommentsCount: migrating =====
-- add_column(:news, :comments_count, :integer, {:null=>false, :default=>0})
-> 0.0018s
== AddNewsCommentsCount: migrated (0.0021s) =====

== AddCommentsPermissions: migrating =====
== AddCommentsPermissions: migrated (0.0109s) =====

```

```
== CreateQueries: migrating =====
-- create_table(:queries, {:force=>true})
-> 0.0051s
== CreateQueries: migrated (0.0053s) =====

== AddQueriesPermissions: migrating =====
== AddQueriesPermissions: migrated (0.0080s) =====

== CreateRepositories: migrating =====
-- create_table(:repositories, {:force=>true})
-> 0.0041s
== CreateRepositories: migrated (0.0043s) =====

== AddRepositoriesPermissions: migrating =====
== AddRepositoriesPermissions: migrated (0.0211s) =====

== CreateSettings: migrating =====
-- create_table(:settings, {:force=>true})
-> 0.0041s
== CreateSettings: migrated (0.0043s) =====

== SetDocAndFilesNotifications: migrating =====
== SetDocAndFilesNotifications: migrated (0.0197s) =====

== AddIssueStatusPosition: migrating =====
-- add_column(:issue_statuses, :position, :integer, {:default=>1})
-> 0.0014s
== AddIssueStatusPosition: migrated (0.0025s) =====

== AddRolePosition: migrating =====
-- add_column(:roles, :position, :integer, {:default=>1})
-> 0.0014s
== AddRolePosition: migrated (0.0106s) =====

== AddTrackerPosition: migrating =====
-- add_column(:trackers, :position, :integer, {:default=>1})
-> 0.0019s
== AddTrackerPosition: migrated (0.0030s) =====

== SerializePossiblesValues: migrating =====
== SerializePossiblesValues: migrated (0.0013s) =====

== AddTrackerIsInRoadmap: migrating =====
-- add_column(:trackers, :is_in_roadmap, :boolean, {:null=>false, :default=>true})
-> 0.0019s
== AddTrackerIsInRoadmap: migrated (0.0023s) =====

== AddRoadmapPermission: migrating =====
== AddRoadmapPermission: migrated (0.0079s) =====

== AddSearchPermission: migrating =====
== AddSearchPermission: migrated (0.0084s) =====
```

```

== AddRepositoryLoginAndPassword: migrating =====
-- add_column(:repositories, :login, :string, {:limit=>60, :default=>""})
-> 0.0014s
-- add_column(:repositories, :password, :string, {:limit=>60, :default=>""})
-> 0.0010s
== AddRepositoryLoginAndPassword: migrated (0.0028s) =====

== CreateWikis: migrating =====
-- create_table(:wikis)
-> 0.0022s
-- add_index(:wikis, :project_id, {:name=>:wikis_project_id})
-> 0.0011s
== CreateWikis: migrated (0.0037s) =====

== CreateWikiPages: migrating =====
-- create_table(:wiki_pages)
-> 0.0022s
-- add_index(:wiki_pages, [:wiki_id, :title], {:name=>:wiki_pages_wiki_id_title})
-> 0.0011s
== CreateWikiPages: migrated (0.0037s) =====

== CreateWikiContents: migrating =====
-- create_table(:wiki_contents)
-> 0.0028s
-- add_index(:wiki_contents, :page_id, {:name=>:wiki_contents_page_id})
-> 0.0011s
-- create_table(:wiki_content_versions)
-> 0.0028s
-- add_index(:wiki_content_versions, :wiki_content_id, {:name=>:wiki_content_versions_wcid})
-> 0.0012s
== CreateWikiContents: migrated (0.0089s) =====

== AddProjectsFeedsPermissions: migrating =====
== AddProjectsFeedsPermissions: migrated (0.0087s) =====

== AddRepositoryRootUrl: migrating =====
-- add_column(:repositories, :root_url, :string, {:limit=>255, :default=>""})
-> 0.0015s
== AddRepositoryRootUrl: migrated (0.0017s) =====

== CreateTimeEntries: migrating =====
-- create_table(:time_entries)
-> 0.0038s
-- add_index(:time_entries, [:project_id], {:name=>:time_entries_project_id})
-> 0.0011s
-- add_index(:time_entries, [:issue_id], {:name=>:time_entries_issue_id})
-> 0.0016s
== CreateTimeEntries: migrated (0.0071s) =====

== AddTimelogPermissions: migrating =====
== AddTimelogPermissions: migrated (0.0081s) =====

```

```

== CreateChangesets: migrating =====
-- create_table(:changesets)
  -> 0.0030s
-- add_index(:changesets, [:repository_id, :revision], {:unique=>true, :name=>:changesets_repos_rev})
  -> 0.0016s
== CreateChangesets: migrated (0.0050s) =====

== CreateChanges: migrating =====
-- create_table(:changes)
  -> 0.0029s
-- add_index(:changes, [:changeset_id], {:name=>:changesets_changeset_id})
  -> 0.0013s
== CreateChanges: migrated (0.0056s) =====

== AddChangesetCommitDate: migrating =====
-- add_column(:changesets, :commit_date, :date)
  -> 0.0018s
== AddChangesetCommitDate: migrated (0.0033s) =====

== AddProjectIdentifier: migrating =====
-- add_column(:projects, :identifier, :string, {:limit=>20})
  -> 0.0015s
== AddProjectIdentifier: migrated (0.0017s) =====

== AddCustomFieldsFilter: migrating =====
-- add_column(:custom_fields, :is_filter, :boolean, {:null=>false, :default=>false})
  -> 0.0016s
== AddCustomFieldsFilter: migrated (0.0018s) =====

== CreateWatchers: migrating =====
-- create_table(:watchers)
  -> 0.0036s
== CreateWatchers: migrated (0.0038s) =====

== CreateChangesetsIssues: migrating =====
-- create_table(:changesets_issues, {:id=>false})
  -> 0.0020s
-- add_index(:changesets_issues, [:changeset_id, :issue_id], {:unique=>true, :name=>:changesets_issues_ids})
  -> 0.0016s
== CreateChangesetsIssues: migrated (0.0040s) =====

== RenameCommentToComments: migrating =====
== RenameCommentToComments: migrated (0.0573s) =====

== CreateIssueRelations: migrating =====
-- create_table(:issue_relations)
  -> 0.0026s
== CreateIssueRelations: migrated (0.0028s) =====

== AddRelationsPermissions: migrating =====
== AddRelationsPermissions: migrated (0.0127s) =====

== SetLanguageLengthToFive: migrating =====

```

```

-- change_column(:users, :language, :string, {:limit=>5, :default=>""})
-> 0.0439s
== SetLanguageLengthToFive: migrated (0.0441s) =====

== CreateBoards: migrating =====
-- create_table(:boards)
-> 0.0034s
-- add_index(:boards, [:project_id], {:name=>:boards_project_id})
-> 0.0016s
== CreateBoards: migrated (0.0053s) =====

== CreateMessages: migrating =====
-- create_table(:messages)
-> 0.0034s
-- add_index(:messages, [:board_id], {:name=>:messages_board_id})
-> 0.0011s
-- add_index(:messages, [:parent_id], {:name=>:messages_parent_id})
-> 0.0018s
== CreateMessages: migrated (0.0069s) =====

== AddBoardsPermissions: migrating =====
== AddBoardsPermissions: migrated (0.0139s) =====

== AllowNullVersionEffectiveDate: migrating =====
-- change_column(:versions, :effective_date, :date, {:null=>true, :default=>nil})
-> 0.0299s
== AllowNullVersionEffectiveDate: migrated (0.0301s) =====

== AddWikiDestroyPagePermission: migrating =====
== AddWikiDestroyPagePermission: migrated (0.0084s) =====

== AddWikiAttachmentsPermissions: migrating =====
== AddWikiAttachmentsPermissions: migrated (0.0113s) =====

== AddProjectStatus: migrating =====
-- add_column(:projects, :status, :integer, {:null=>false, :default=>1})
-> 0.0016s
== AddProjectStatus: migrated (0.0018s) =====

== AddChangesRevision: migrating =====
-- add_column(:changes, :revision, :string)
-> 0.0014s
== AddChangesRevision: migrated (0.0015s) =====

== AddChangesBranch: migrating =====
-- add_column(:changes, :branch, :string)
-> 0.0013s
== AddChangesBranch: migrated (0.0015s) =====

== AddChangesetsScmid: migrating =====
-- add_column(:changesets, :scmid, :string)
-> 0.0021s
== AddChangesetsScmid: migrated (0.0023s) =====

```

```

== AddRepositoriesType: migrating =====
-- add_column(:repositories, :type, :string)
-> 0.1698s
== AddRepositoriesType: migrated (0.1709s) =====

== AddRepositoriesChangesPermission: migrating =====
== AddRepositoriesChangesPermission: migrated (0.0089s) =====

== AddVersionsWikiPageTitle: migrating =====
-- add_column(:versions, :wiki_page_title, :string)
-> 0.0016s
== AddVersionsWikiPageTitle: migrated (0.0017s) =====

== AddIssueCategoriesAssignedToId: migrating =====
-- add_column(:issue_categories, :assigned_to_id, :integer)
-> 0.0017s
== AddIssueCategoriesAssignedToId: migrated (0.0020s) =====

== AddRolesAssignable: migrating =====
-- add_column(:roles, :assignable, :boolean, {:default=>true})
-> 0.0015s
== AddRolesAssignable: migrated (0.0017s) =====

== ChangeChangesetsCommitterLimit: migrating =====
-- change_column(:changesets, :committer, :string, {:limit=>nil})
-> 0.0375s
== ChangeChangesetsCommitterLimit: migrated (0.0377s) =====

== AddRolesBuiltin: migrating =====
-- add_column(:roles, :builtin, :integer, {:null=>false, :default=>0})
-> 0.0018s
== AddRolesBuiltin: migrated (0.0020s) =====

== InsertBuiltinRoles: migrating =====
== InsertBuiltinRoles: migrated (0.0157s) =====

== AddRolesPermissions: migrating =====
-- add_column(:roles, :permissions, :text)
-> 0.0020s
== AddRolesPermissions: migrated (0.0023s) =====

== DropPermissions: migrating =====
-- drop_table(:permissions)
-> 0.0013s
-- drop_table(:permissions_roles)
-> 0.0010s
== DropPermissions: migrated (0.0027s) =====

== AddSettingsUpdatedOn: migrating =====
-- add_column(:settings, :updated_on, :timestamp)
-> 0.0015s
== AddSettingsUpdatedOn: migrated (0.0156s) =====

```



```

== AddCustomValueCustomizedIndex: migrating =====
-- add_index(:custom_values, [:customized_type, :customized_id], {:name=>:custom_values_customized})
-> 0.0016s
== AddCustomValueCustomizedIndex: migrated (0.0018s) =====

== CreateWikiRedirects: migrating =====
-- create_table(:wiki_redirects)
-> 0.0030s
-- add_index(:wiki_redirects, [:wiki_id, :title], {:name=>:wiki_redirects_wiki_id_title})
-> 0.0017s
== CreateWikiRedirects: migrated (0.0051s) =====

== CreateEnabledModules: migrating =====
-- create_table(:enabled_modules)
-> 0.0020s
-- add_index(:enabled_modules, [:project_id], {:name=>:enabled_modules_project_id})
-> 0.0012s
== CreateEnabledModules: migrated (0.0045s) =====

== AddIssuesEstimatedHours: migrating =====
-- add_column(:issues, :estimated_hours, :float)
-> 0.0015s
== AddIssuesEstimatedHours: migrated (0.0017s) =====

== ChangeAttachmentsContentTypeLimit: migrating =====
-- change_column(:attachments, :content_type, :string, {:limit=>nil})
-> 0.0345s
== ChangeAttachmentsContentTypeLimit: migrated (0.0347s) =====

== AddQueriesColumnNames: migrating =====
-- add_column(:queries, :column_names, :text)
-> 0.0014s
== AddQueriesColumnNames: migrated (0.0015s) =====

== AddEnumerationsPosition: migrating =====
-- add_column(:enumerations, :position, :integer, {:default=>1})
-> 0.0015s
== AddEnumerationsPosition: migrated (0.0375s) =====

== AddEnumerationsIsDefault: migrating =====
-- add_column(:enumerations, :is_default, :boolean, {:null=>false, :default=>false})
-> 0.0014s
== AddEnumerationsIsDefault: migrated (0.0016s) =====

== AddAuthSourcesTls: migrating =====
-- add_column(:auth_sources, :tls, :boolean, {:null=>false, :default=>false})
-> 0.0015s
== AddAuthSourcesTls: migrated (0.0017s) =====

== AddMembersMailNotification: migrating =====
-- add_column(:members, :mail_notification, :boolean, {:null=>false, :default=>false})
-> 0.0075s

```

```

== AddMembersMailNotification: migrated (0.0077s) =====

== AllowNullPosition: migrating =====
-- change_column(:issue_statuses, :position, :integer, {:null=>true, :default=>1})
-> 0.0221s
-- change_column(:roles, :position, :integer, {:null=>true, :default=>1})
-> 0.0218s
-- change_column(:trackers, :position, :integer, {:null=>true, :default=>1})
-> 0.1935s
-- change_column(:boards, :position, :integer, {:null=>true, :default=>1})
-> 0.0356s
-- change_column(:enumerations, :position, :integer, {:null=>true, :default=>1})
-> 0.0195s
== AllowNullPosition: migrated (0.2935s) =====

== RemoveIssueStatusesHtmlColor: migrating =====
-- remove_column(:issue_statuses, :html_color)
-> 0.0222s
== RemoveIssueStatusesHtmlColor: migrated (0.0224s) =====

== AddCustomFieldsPosition: migrating =====
-- add_column(:custom_fields, :position, :integer, {:default=>1})
-> 0.0017s
== AddCustomFieldsPosition: migrated (0.0030s) =====

== AddUserPreferencesTimeZone: migrating =====
-- add_column(:user_preferences, :time_zone, :string)
-> 0.0018s
== AddUserPreferencesTimeZone: migrated (0.0020s) =====

== AddUsersType: migrating =====
-- add_column(:users, :type, :string)
-> 0.0015s
== AddUsersType: migrated (0.0059s) =====

== CreateProjectsTrackers: migrating =====
-- create_table(:projects_trackers, {:id=>false})
-> 0.0020s
-- add_index(:projects_trackers, :project_id, {:name=>:projects_trackers_project_id})
-> 0.0012s
== CreateProjectsTrackers: migrated (0.0054s) =====

== AddMessagesLocked: migrating =====
-- add_column(:messages, :locked, :boolean, {:default=>false})
-> 0.0015s
== AddMessagesLocked: migrated (0.0017s) =====

== AddMessagesSticky: migrating =====
-- add_column(:messages, :sticky, :integer, {:default=>0})
-> 0.0014s
== AddMessagesSticky: migrated (0.0016s) =====

== ChangeAuthSourcesAccountLimit: migrating =====

```

```

-- change_column(:auth_sources, :account, :string, {:limit=>nil})
-> 0.0388s
== ChangeAuthSourcesAccountLimit: migrated (0.0390s) =====

== AddRoleTrackerOldStatusIndexToWorkflows: migrating =====
-- add_index(:workflows, [:role_id, :tracker_id, :old_status_id], {:name=>:wkfs_role_tracker_old_status})
-> 0.0015s
== AddRoleTrackerOldStatusIndexToWorkflows: migrated (0.0017s) =====

== AddCustomFieldsSearchable: migrating =====
-- add_column(:custom_fields, :searchable, :boolean, {:default=>false})
-> 0.0017s
== AddCustomFieldsSearchable: migrated (0.0019s) =====

== ChangeProjectsDescriptionToText: migrating =====
-- change_column(:projects, :description, :text, {:null=>true, :default=>nil})
-> 0.0347s
== ChangeProjectsDescriptionToText: migrated (0.0349s) =====

== AddCustomFieldsDefaultValue: migrating =====
-- add_column(:custom_fields, :default_value, :text)
-> 0.0014s
== AddCustomFieldsDefaultValue: migrated (0.0016s) =====

== AddAttachmentsDescription: migrating =====
-- add_column(:attachments, :description, :string)
-> 0.0014s
== AddAttachmentsDescription: migrated (0.0016s) =====

== ChangeVersionsNameLimit: migrating =====
-- change_column(:versions, :name, :string, {:limit=>nil})
-> 0.2106s
== ChangeVersionsNameLimit: migrated (0.2108s) =====

== ChangeChangesetsRevisionToString: migrating =====
-- change_column(:changesets, :revision, :string, {:null=>false})
-> 0.0352s
== ChangeChangesetsRevisionToString: migrated (0.0354s) =====

== ChangeChangesFromRevisionToString: migrating =====
-- change_column(:changes, :from_revision, :string)
-> 0.0323s
== ChangeChangesFromRevisionToString: migrated (0.0325s) =====

== AddWikiPagesProtected: migrating =====
-- add_column(:wiki_pages, :protected, :boolean, {:null=>false, :default=>false})
-> 0.0077s
== AddWikiPagesProtected: migrated (0.0079s) =====

== ChangeProjectsHomepageLimit: migrating =====
-- change_column(:projects, :homepage, :string, {:limit=>nil, :default=>""})
-> 0.0332s
== ChangeProjectsHomepageLimit: migrated (0.0334s) =====

```

```

== AddWikiPagesParentId: migrating =====
-- add_column(:wiki_pages, :parent_id, :integer, {:default=>nil})
-> 0.0024s
== AddWikiPagesParentId: migrated (0.0026s) =====

== AddCommitAccessPermission: migrating =====
== AddCommitAccessPermission: migrated (0.0015s) =====

== AddViewWikiEditsPermission: migrating =====
== AddViewWikiEditsPermission: migrated (0.0017s) =====

== SetTopicAuthorsAsWatchers: migrating =====
== SetTopicAuthorsAsWatchers: migrated (0.0053s) =====

== AddDeleteWikiPagesAttachmentsPermission: migrating =====
== AddDeleteWikiPagesAttachmentsPermission: migrated (0.0017s) =====

== AddChangesetsUserId: migrating =====
-- add_column(:changesets, :user_id, :integer, {:default=>nil})
-> 0.0015s
== AddChangesetsUserId: migrated (0.0017s) =====

== PopulateChangesetsUserId: migrating =====
== PopulateChangesetsUserId: migrated (0.0007s) =====

== AddCustomFieldsEditable: migrating =====
-- add_column(:custom_fields, :editable, :boolean, {:default=>true})
-> 0.0016s
== AddCustomFieldsEditable: migrated (0.0018s) =====

== SetCustomFieldsEditable: migrating =====
== SetCustomFieldsEditable: migrated (0.0069s) =====

== AddProjectsLftAndRgt: migrating =====
-- add_column(:projects, :lft, :integer)
-> 0.0016s
-- add_column(:projects, :rgt, :integer)
-> 0.0038s
== AddProjectsLftAndRgt: migrated (0.0058s) =====

== BuildProjectsTree: migrating =====
== BuildProjectsTree: migrated (0.0079s) =====

== RemoveProjectsProjectsCount: migrating =====
-- remove_column(:projects, :projects_count)
-> 0.2110s
== RemoveProjectsProjectsCount: migrated (0.2112s) =====

== AddOpenIdAuthenticationTables: migrating =====
-- create_table(:open_id_authentication_associations, {:force=>true})
-> 0.0075s
-- create_table(:open_id_authentication_nonces, {:force=>true})

```

```

-> 0.0050s
== AddOpenIdAuthenticationTables: migrated (0.0129s) =====

== AddIdentityUrlToUsers: migrating =====
-- add_column(:users, :identity_url, :string)
-> 0.0017s
== AddIdentityUrlToUsers: migrated (0.0020s) =====

== AddWatchersUserIdTypeIndex: migrating =====
-- add_index(:watchers, [:user_id, :watchable_type], {:name=>:watchers_user_id_type})
-> 0.0016s
== AddWatchersUserIdTypeIndex: migrated (0.0019s) =====

== AddQueriesSortCriteria: migrating =====
-- add_column(:queries, :sort_criteria, :text)
-> 0.0015s
== AddQueriesSortCriteria: migrated (0.0017s) =====

== AddProjectsTrackersUniqueIndex: migrating =====
-- add_index(:projects_trackers, [:project_id, :tracker_id], {:unique=>true, :name=>:projects_trackers_unique})
-> 0.0024s
== AddProjectsTrackersUniqueIndex: migrated (0.0037s) =====

== ExtendSettingsName: migrating =====
-- change_column(:settings, :name, :string, {:null=>false, :limit=>255, :default=>""})
-> 0.0200s
== ExtendSettingsName: migrated (0.0203s) =====

== AddTypeToEnumerations: migrating =====
-- add_column(:enumerations, :type, :string)
-> 0.0017s
== AddTypeToEnumerations: migrated (0.0019s) =====

== UpdateEnumerationsToSti: migrating =====
== UpdateEnumerationsToSti: migrated (0.0022s) =====

== AddActiveFieldToEnumerations: migrating =====
-- add_column(:enumerations, :active, :boolean, {:null=>false, :default=>true})
-> 0.0017s
== AddActiveFieldToEnumerations: migrated (0.0020s) =====

== AddProjectToEnumerations: migrating =====
-- add_column(:enumerations, :project_id, :integer, {:null=>true, :default=>nil})
-> 0.0018s
-- add_index(:enumerations, :project_id)
-> 0.0017s
== AddProjectToEnumerations: migrated (0.0039s) =====

== AddParentIdToEnumerations: migrating =====
-- add_column(:enumerations, :parent_id, :integer, {:null=>true, :default=>nil})
-> 0.0016s
== AddParentIdToEnumerations: migrated (0.0018s) =====

```

```

== AddQueriesGroupBy: migrating =====
-- add_column(:queries, :group_by, :string)
-> 0.0018s
== AddQueriesGroupBy: migrated (0.0020s) =====

== CreateMemberRoles: migrating =====
-- create_table(:member_roles)
-> 0.0022s
== CreateMemberRoles: migrated (0.0023s) =====

== PopulateMemberRoles: migrating =====
== PopulateMemberRoles: migrated (0.0266s) =====

== DropMembersRoleId: migrating =====
-- remove_column(:members, :role_id)
-> 0.0254s
== DropMembersRoleId: migrated (0.0256s) =====

== FixMessagesStickyNull: migrating =====
== FixMessagesStickyNull: migrated (0.0011s) =====

== PopulateUsersType: migrating =====
== PopulateUsersType: migrated (0.0013s) =====

== CreateGroupsUsers: migrating =====
-- create_table(:groups_users, {:id=>false})
-> 0.0017s
-- add_index(:groups_users, [:group_id, :user_id], {:unique=>true, :name=>:groups_users_ids})
-> 0.0014s
== CreateGroupsUsers: migrated (0.0035s) =====

== AddMemberRolesInheritedFrom: migrating =====
-- add_column(:member_roles, :inherited_from, :integer)
-> 0.0018s
== AddMemberRolesInheritedFrom: migrated (0.0020s) =====

== FixUsersCustomValues: migrating =====
== FixUsersCustomValues: migrated (0.0195s) =====

== AddMissingIndexesToWorkflows: migrating =====
-- add_index(:workflows, :old_status_id)
-> 0.0022s
-- add_index(:workflows, :role_id)
-> 0.0023s
-- add_index(:workflows, :new_status_id)
-> 0.0029s
== AddMissingIndexesToWorkflows: migrated (0.0079s) =====

== AddMissingIndexesToCustomFieldsProjects: migrating =====
-- add_index(:custom_fields_projects, [:custom_field_id, :project_id])
-> 0.0020s
== AddMissingIndexesToCustomFieldsProjects: migrated (0.0022s) =====

```

```
== AddMissingIndexesToMessages: migrating =====
-- add_index(:messages, :last_reply_id)
   -> 0.0031s
-- add_index(:messages, :author_id)
   -> 0.0028s
== AddMissingIndexesToMessages: migrated (0.0064s) =====

== AddMissingIndexesToRepositories: migrating =====
-- add_index(:repositories, :project_id)
   -> 0.0019s
== AddMissingIndexesToRepositories: migrated (0.0021s) =====

== AddMissingIndexesToComments: migrating =====
-- add_index(:comments, [:commented_id, :commented_type])
   -> 0.0017s
-- add_index(:comments, :author_id)
   -> 0.0018s
== AddMissingIndexesToComments: migrated (0.0039s) =====

== AddMissingIndexesToEnumerations: migrating =====
-- add_index(:enumerations, [:id, :type])
   -> 0.0025s
== AddMissingIndexesToEnumerations: migrated (0.0028s) =====

== AddMissingIndexesToWikiPages: migrating =====
-- add_index(:wiki_pages, :wiki_id)
   -> 0.0021s
-- add_index(:wiki_pages, :parent_id)
   -> 0.0022s
== AddMissingIndexesToWikiPages: migrated (0.0046s) =====

== AddMissingIndexesToWatchers: migrating =====
-- add_index(:watchers, :user_id)
   -> 0.0026s
-- add_index(:watchers, [:watchable_id, :watchable_type])
   -> 0.0027s
== AddMissingIndexesToWatchers: migrated (0.0057s) =====

== AddMissingIndexesToAuthSources: migrating =====
-- add_index(:auth_sources, [:id, :type])
   -> 0.0014s
== AddMissingIndexesToAuthSources: migrated (0.0016s) =====

== AddMissingIndexesToDocuments: migrating =====
-- add_index(:documents, :category_id)
   -> 0.0021s
== AddMissingIndexesToDocuments: migrated (0.0023s) =====

== AddMissingIndexesToTokens: migrating =====
-- add_index(:tokens, :user_id)
   -> 0.0015s
== AddMissingIndexesToTokens: migrated (0.0017s) =====
```

```
== AddMissingIndexesToChangesets: migrating =====
-- add_index(:changesets, :user_id)
-> 0.0026s
-- add_index(:changesets, :repository_id)
-> 0.0022s
== AddMissingIndexesToChangesets: migrated (0.0051s) =====

== AddMissingIndexesToIssueCategories: migrating =====
-- add_index(:issue_categories, :assigned_to_id)
-> 0.0022s
== AddMissingIndexesToIssueCategories: migrated (0.0024s) =====

== AddMissingIndexesToMemberRoles: migrating =====
-- add_index(:member_roles, :member_id)
-> 0.0016s
-- add_index(:member_roles, :role_id)
-> 0.0017s
== AddMissingIndexesToMemberRoles: migrated (0.0036s) =====

== AddMissingIndexesToBoards: migrating =====
-- add_index(:boards, :last_message_id)
-> 0.0041s
== AddMissingIndexesToBoards: migrated (0.0043s) =====

== AddMissingIndexesToUserPreferences: migrating =====
-- add_index(:user_preferences, :user_id)
-> 0.0014s
== AddMissingIndexesToUserPreferences: migrated (0.0016s) =====

== AddMissingIndexesToIssues: migrating =====
-- add_index(:issues, :status_id)
-> 0.0023s
-- add_index(:issues, :category_id)
-> 0.0020s
-- add_index(:issues, :assigned_to_id)
-> 0.0026s
-- add_index(:issues, :fixed_version_id)
-> 0.0031s
-- add_index(:issues, :tracker_id)
-> 0.0034s
-- add_index(:issues, :priority_id)
-> 0.0040s
-- add_index(:issues, :author_id)
-> 0.0041s
== AddMissingIndexesToIssues: migrated (0.0229s) =====

== AddMissingIndexesToMembers: migrating =====
-- add_index(:members, :user_id)
-> 0.0016s
-- add_index(:members, :project_id)
-> 0.0020s
== AddMissingIndexesToMembers: migrated (0.0040s) =====
```



```

== AddMissingIndexesToCustomFields: migrating =====
-- add_index(:custom_fields, [:id, :type])
-> 0.0016s
== AddMissingIndexesToCustomFields: migrated (0.0018s) =====

== AddMissingIndexesToQueries: migrating =====
-- add_index(:queries, :project_id)
-> 0.0017s
-- add_index(:queries, :user_id)
-> 0.0026s
== AddMissingIndexesToQueries: migrated (0.0052s) =====

== AddMissingIndexesToTimeEntries: migrating =====
-- add_index(:time_entries, :activity_id)
-> 0.0028s
-- add_index(:time_entries, :user_id)
-> 0.0030s
== AddMissingIndexesToTimeEntries: migrated (0.0062s) =====

== AddMissingIndexesToNews: migrating =====
-- add_index(:news, :author_id)
-> 0.0029s
== AddMissingIndexesToNews: migrated (0.0031s) =====

== AddMissingIndexesToUsers: migrating =====
-- add_index(:users, [:id, :type])
-> 0.0016s
-- add_index(:users, :auth_source_id)
-> 0.0021s
== AddMissingIndexesToUsers: migrated (0.0041s) =====

== AddMissingIndexesToAttachments: migrating =====
-- add_index(:attachments, [:container_id, :container_type])
-> 0.0020s
-- add_index(:attachments, :author_id)
-> 0.0022s
== AddMissingIndexesToAttachments: migrated (0.0047s) =====

== AddMissingIndexesToWikiContents: migrating =====
-- add_index(:wiki_contents, :author_id)
-> 0.0024s
== AddMissingIndexesToWikiContents: migrated (0.0026s) =====

== AddMissingIndexesToCustomValues: migrating =====
-- add_index(:custom_values, :custom_field_id)
-> 0.0028s
== AddMissingIndexesToCustomValues: migrated (0.0031s) =====

== AddMissingIndexesToJournals: migrating =====
-- add_index(:journals, :user_id)
-> 0.0024s
-- add_index(:journals, :journalized_id)
-> 0.0036s

```

```

== AddMissingIndexesToJournals: migrated (0.0064s) =====
== AddMissingIndexesToIssueRelations: migrating =====
-- add_index(:issue_relations, :issue_from_id)
-> 0.0019s
-- add_index(:issue_relations, :issue_to_id)
-> 0.0024s
== AddMissingIndexesToIssueRelations: migrated (0.0046s) =====

== AddMissingIndexesToWikiRedirects: migrating =====
-- add_index(:wiki_redirects, :wiki_id)
-> 0.0023s
== AddMissingIndexesToWikiRedirects: migrated (0.0025s) =====

== AddMissingIndexesToCustomFieldsTrackers: migrating =====
-- add_index(:custom_fields_trackers, [:custom_field_id, :tracker_id])
-> 0.0017s
== AddMissingIndexesToCustomFieldsTrackers: migrated (0.0019s) =====

== AddActivityIndexes: migrating =====
-- add_index(:journals, :created_on)
-> 0.0032s
-- add_index(:changesets, :committed_on)
-> 0.0029s
-- add_index(:wiki_content_versions, :updated_on)
-> 0.0019s
-- add_index(:messages, :created_on)
-> 0.0038s
-- add_index(:issues, :created_on)
-> 0.0051s
-- add_index(:news, :created_on)
-> 0.0023s
-- add_index(:attachments, :created_on)
-> 0.0027s
-- add_index(:documents, :created_on)
-> 0.0022s
-- add_index(:time_entries, :created_on)
-> 0.0031s
== AddActivityIndexes: migrated (0.0296s) =====

== AddVersionsStatus: migrating =====
-- add_column(:versions, :status, :string, {:default=>"open"})
-> 0.0018s
== AddVersionsStatus: migrated (0.0028s) =====

== AddViewIssuesPermission: migrating =====
== AddViewIssuesPermission: migrated (0.0079s) =====

== AddDefaultDoneRatioToIssueStatus: migrating =====
-- add_column(:issue_statuses, :default_done_ratio, :integer)
-> 0.0017s
== AddDefaultDoneRatioToIssueStatus: migrated (0.0019s) =====

```

```

== AddVersionsSharing: migrating =====
-- add_column(:versions, :sharing, :string, {:null=>false, :default=>"none"})
  -> 0.0017s
-- add_index(:versions, :sharing)
  -> 0.0022s
== AddVersionsSharing: migrated (0.0043s) =====

== AddLftAndRgtIndexesToProjects: migrating =====
-- add_index(:projects, :lft)
  -> 0.0015s
-- add_index(:projects, :rgt)
  -> 0.0019s
== AddLftAndRgtIndexesToProjects: migrated (0.0038s) =====

== AddIndexToSettingsName: migrating =====
-- add_index(:settings, :name)
  -> 0.0015s
== AddIndexToSettingsName: migrated (0.0017s) =====

== AddIndexesToIssueStatus: migrating =====
-- add_index(:issue_statuses, :position)
  -> 0.0021s
-- add_index(:issue_statuses, :is_closed)
  -> 0.0019s
-- add_index(:issue_statuses, :is_default)
  -> 0.0023s
== AddIndexesToIssueStatus: migrated (0.0068s) =====

== RemoveEnumerationsOpt: migrating =====
-- remove_column(:enumerations, :opt)
  -> 0.0443s
== RemoveEnumerationsOpt: migrated (0.0445s) =====

== ChangeWikiContentsTextLimit: migrating =====
== ChangeWikiContentsTextLimit: migrated (0.0015s) =====

== ChangeUsersMailNotificationToString: migrating =====
-- rename_column(:users, :mail_notification, :mail_notification_bool)
  -> 0.0664s
-- add_column(:users, :mail_notification, :string, {:null=>false, :default=>""})
  -> 0.0013s
-- remove_column(:users, :mail_notification_bool)
  -> 0.2475s
== ChangeUsersMailNotificationToString: migrated (0.3186s) =====

== UpdateMailNotificationValues: migrating =====
== UpdateMailNotificationValues: migrated (0.0000s) =====

== AddCustomFilterToAuthSources: migrating =====
-- add_column(:auth_sources, :custom_filter, :string)
  -> 0.0016s
== AddCustomFilterToAuthSources: migrated (0.0018s) =====

```

```

== AddIndexOnChangesetsScmid: migrating =====
-- add_index(:changesets, [:repository_id, :scmid], {:name=>:changesets_repos_scmid})
-> 0.0039s
== AddIndexOnChangesetsScmid: migrated (0.0041s) =====

== AddIssuesNestedSetsColumns: migrating =====
-- add_column(:issues, :parent_id, :integer, {:default=>nil})
-> 0.0028s
-- add_column(:issues, :root_id, :integer, {:default=>nil})
-> 0.0018s
-- add_column(:issues, :lft, :integer, {:default=>nil})
-> 0.0016s
-- add_column(:issues, :rgt, :integer, {:default=>nil})
-> 0.0015s
== AddIssuesNestedSetsColumns: migrated (0.0096s) =====

== AddIndexOnIssuesNestedSet: migrating =====
-- add_index(:issues, [:root_id, :lft, :rgt])
-> 0.0054s
== AddIndexOnIssuesNestedSet: migrated (0.0057s) =====

== ChangeChangesPathLengthLimit: migrating =====
-- change_column(:changes, :path, :text, {:null=>true, :default=>nil})
-> 0.0327s
-- change_column(:changes, :path, :text, {:null=>false})
-> 0.0312s
-- change_column(:changes, :from_path, :text)
-> 0.0298s
== ChangeChangesPathLengthLimit: migrated (0.0942s) =====

== PrepareJournalsForActsAsJournalized: migrating =====
-- change_table(:journals)
-> 0.3020s
== PrepareJournalsForActsAsJournalized: migrated (0.3026s) =====

== UpdateJournalsForActsAsJournalized: migrating =====
-- Updating existing Journals...
-> 0.0011s
-- change_table(:journals)
-> 0.2783s
== UpdateJournalsForActsAsJournalized: migrated (0.2797s) =====

== BuildInitialJournalsForActsAsJournalized: migrating =====
DEPRECATION WARNING: ActiveRecord::Base#class_name is deprecated and will be removed in Rails 3. (called from up_without_benchmarks at
./db/migrate//20100714111653_build_initial_journals_for_acts_as_journalized.rb:30)
-- Building initial journals for Message
-> 0.0037s
DEPRECATION WARNING: ActiveRecord::Base#class_name is deprecated and will be removed in Rails 3. (called from up_without_benchmarks at
./db/migrate//20100714111653_build_initial_journals_for_acts_as_journalized.rb:30)
-- Building initial journals for Attachment
-> 0.0019s
DEPRECATION WARNING: ActiveRecord::Base#class_name is deprecated and will be removed in Rails 3. (called from up_without_benchmarks at
./db/migrate//20100714111653_build_initial_journals_for_acts_as_journalized.rb:30)

```

```

-- Building initial journals for Document
-> 0.0017s
DEPRECATION WARNING: ActiveRecord::Base#class_name is deprecated and will be removed in Rails 3. (called from up_without_benchmarks at
./db/migrate//20100714111653_build_initial_journals_for_acts_as_journalized.rb:30)
-- Building initial journals for Changeset
-> 0.0017s
DEPRECATION WARNING: ActiveRecord::Base#class_name is deprecated and will be removed in Rails 3. (called from up_without_benchmarks at
./db/migrate//20100714111653_build_initial_journals_for_acts_as_journalized.rb:30)
-- Building initial journals for Issue
-> 0.0018s
DEPRECATION WARNING: ActiveRecord::Base#class_name is deprecated and will be removed in Rails 3. (called from up_without_benchmarks at
./db/migrate//20100714111653_build_initial_journals_for_acts_as_journalized.rb:30)
-- Building initial journals for TimeEntry
-> 0.0017s
DEPRECATION WARNING: ActiveRecord::Base#class_name is deprecated and will be removed in Rails 3. (called from up_without_benchmarks at
./db/migrate//20100714111653_build_initial_journals_for_acts_as_journalized.rb:30)
-- Building initial journals for News
-> 0.0017s
== BuildInitialJournalsForActsAsJournalized: migrated (0.0189s) =====

== AddChangesFromJournalDetailsForActsAsJournalized: migrating =====
-- Adding changes from JournalDetails
-> 0.0019s
== AddChangesFromJournalDetailsForActsAsJournalized: migrated (0.0021s) =====

== MergeWikiVersionsWithJournals: migrating =====
-- change_table(:wiki_contents)
-> 0.0423s
== MergeWikiVersionsWithJournals: migrated (0.0742s) =====

== EnableCalendarAndGanttModulesWhereAppropriate: migrating =====
== EnableCalendarAndGanttModulesWhereAppropriate: migrated (0.0157s) =====

== AddUniqueIndexOnMembers: migrating =====
-- add_index(:members, [:user_id, :project_id], {:unique=>true})
-> 0.0025s
== AddUniqueIndexOnMembers: migrated (0.0054s) =====

== AddCustomFieldsVisible: migrating =====
-- add_column(:custom_fields, :visible, :boolean, {:null=>false, :default=>true})
-> 0.0021s
== AddCustomFieldsVisible: migrated (0.0036s) =====

== ChangeProjectsNameLimit: migrating =====
-- change_column(:projects, :name, :string, {:null=>false, :limit=>nil, :default=>""})
-> 0.0524s
== ChangeProjectsNameLimit: migrated (0.0526s) =====

== ChangeProjectsIdentifierLimit: migrating =====
-- change_column(:projects, :identifier, :string, {:limit=>nil})
-> 0.0500s
== ChangeProjectsIdentifierLimit: migrated (0.0502s) =====

```

```

== AddWorkflowsAssigneeAndAuthor: migrating =====
-- add_column(:workflows, :assignee, :boolean, {:null=>false, :default=>false})
-> 0.0016s
-- add_column(:workflows, :author, :boolean, {:null=>false, :default=>false})
-> 0.0024s
== AddWorkflowsAssigneeAndAuthor: migrated (0.0157s) =====

== AddUsersSalt: migrating =====
-- add_column(:users, :salt, :string, {:limit=>64})
-> 0.0019s
== AddUsersSalt: migrated (0.0021s) =====

== SaltUserPasswords: migrating =====
-- Salting user passwords, this may take some time...
-> 0.2046s
== SaltUserPasswords: migrated (0.2047s) =====

== AddRepositoriesPathEncoding: migrating =====
-- add_column(:repositories, :path_encoding, :string, {:limit=>64, :default=>nil})
-> 0.0017s
== AddRepositoriesPathEncoding: migrated (0.0019s) =====

== ChangeRepositoriesPasswordLimit: migrating =====
-- change_column(:repositories, :password, :string, {:limit=>nil, :default=>""})
-> 0.0390s
== ChangeRepositoriesPasswordLimit: migrated (0.0392s) =====

== ChangeAuthSourcesAccountPasswordLimit: migrating =====
-- change_column(:auth_sources, :account_password, :string, {:limit=>nil, :default=>""})
-> 0.0540s
== ChangeAuthSourcesAccountPasswordLimit: migrated (0.0543s) =====

== ChangeJournalDetailsValuesToText: migrating =====
-- change_column(:journal_details, :old_value, :text)
-> 0.0269s
-- change_column(:journal_details, :value, :text)
-> 0.0270s
== ChangeJournalDetailsValuesToText: migrated (0.0543s) =====

== AddRepositoriesLogEncoding: migrating =====
-- add_column(:repositories, :log_encoding, :string, {:limit=>64, :default=>nil})
-> 0.0016s
== AddRepositoriesLogEncoding: migrated (0.0018s) =====

== CopyRepositoriesLogEncoding: migrating =====
== CopyRepositoriesLogEncoding: migrated (0.0054s) =====

== AddStartDateToVersions: migrating =====
-- add_column(:versions, :start_date, :date)
-> 0.0018s
== AddStartDateToVersions: migrated (0.0020s) =====

== AddIndexToUsersType: migrating =====

```

```
-- add_index(:users, :type)
-> 0.0025s
== AddIndexToUsersType: migrated (0.0027s) =====

== RemoveCommentsFromWikiContent: migrating =====
-- remove_column(:wiki_contents, :comments)
-> 0.0354s
== RemoveCommentsFromWikiContent: migrated (0.0356s) =====

== RemoveDoubleInitialWikiContentJournals: migrating =====
== RemoveDoubleInitialWikiContentJournals: migrated (0.0034s) =====

== AddDisplaySubprojectsToQuery: migrating =====
-- add_column(:queries, :display_subprojects, :boolean)
-> 0.0018s
== AddDisplaySubprojectsToQuery: migrated (0.0020s) =====

== ActsAsTaggableOnMigration: migrating =====
-- create_table(:tags)
-> 0.0017s
-- create_table(:taggings)
-> 0.0027s
-- add_index(:taggings, :tag_id)
-> 0.0014s
-- add_index(:taggings, [:taggable_id, :taggable_type, :context])
-> 0.0045s
== ActsAsTaggableOnMigration: migrated (0.0111s) =====

== RemoveNoisyAttachmentJournals: migrating =====
== RemoveNoisyAttachmentJournals: migrated (0.0040s) =====

== RemoveNoisyMessageJournals: migrating =====
== RemoveNoisyMessageJournals: migrated (0.0040s) =====

== UpUserFieldsLengthLimits: migrating =====
-- change_column(:users, :login, :string, {:limit=>nil})
-> 0.0878s
-- change_column(:users, :mail, :string, {:limit=>nil})
-> 0.0796s
-- change_column(:users, :firstname, :string, {:limit=>nil})
-> 0.2561s
-- change_column(:users, :lastname, :string, {:limit=>nil})
-> 0.0852s
== UpUserFieldsLengthLimits: migrated (0.5095s) =====
```

Loaded suite /home/xxxxxx/.rvm/gems/ruby-1.8.7-p358@global/bin/rake

Started

Finished in 0.000342 seconds.

0 tests, 0 assertions, 0 failures, 0 errors

\$ ruby test/unit/issue_test.rb

NOTE: Gem.source_index is deprecated, use Specification. It will be removed on or after 2011-11-01.

Gem.source_index called from /home/xxxxxx/.rvm/gems/ruby-1.8.7-p358/gems/rails-2.3.14/lib/rails/gem_dependency.rb:21.

Loaded suite test/unit/issue_test

Started

.....F.....

Finished in 42.893533 seconds.

1) Failure:

test_stale_issue_should_not_send_email_notification(IssueTest) [test/unit/issue_test.rb:613]:

<2> expected but was

<0>.

87 tests, 219 assertions, 1 failures, 0 errors

</pre>

2012-05-20 08:25 am - Felix Schäfer

- Target version set to 3.2.0

- Status changed from Ready for review to Closed

Thanks, I was able to reproduce it, the fix is in commit:20448c7.

One note though: it is very hard (at least for me) to understand what you mean when you just paste code. In your response here for example you have pasted a very long response, but "it doesn't depend on the type of the database, it has to be empty" would probably have been enough. Could you try writing a response more often (even if it's automatically translated) instead of just pasting code or output? Thanks :-)

2012-05-20 10:03 am - Toshi MARUYAMA

I described "On empty database" at description.

2012-05-20 11:18 am - Felix Schäfer

I know, I didn't mean the description, though it seems I didn't completely understand what you meant, but note #2 which took me a long time to understand.

2012-05-20 11:44 am - Toshi MARUYAMA

You said "I could not reproduce this".

So, I post *full* log.

Files

missing-fixture.diff	724 Bytes	2012-02-06	Toshi MARUYAMA
----------------------	-----------	------------	----------------