

ChiliProject - Feature # 1042: Remove the ldap and openid groups in the Gemfile

Status:	Open	Priority:	Normal
Author:	Holger Just	Category:	Libraries
Created:	2012-06-15	Assignee:	
Updated:	2012-06-18	Due date:	
Remote issue URL:			
Affected version:			
Description:	Those gems are pure ruby and don't hurt anyone. I think it would be save to always require them to further cleanup the mess of our many bundler groups.		
	Thoughts?		

Associated revisions

2008-04-13 11:12 am - Jean-Philippe Lang

Better error message and AR errors in log for failed LDAP on-the-fly user creation (closes #932, #1042).

git-svn-id: http://redmine.rubyforge.org/svn/trunk@1345_e93f8b46-1217-0410-a6f0-8f06a7374b81

History

2012-06-15 09:33 pm - Holger Just

Hmmm, this could be misunderstood. I want to put the gems into the outer scope to always require them, effectively removing the "choice" of whether the gems should be installed or not.

2012-06-16 04:58 pm - Felix Schäfer

I don't mind having them in the global "gem" scope, though I'd see it as a goal to have things like alternate authentication backends (LDAP, OpenID) as plugins down the line.

2012-06-16 05:56 pm - Holger Just

If we manage to move to something like devise, the actual gems are only downstream-requirements of the authentication plugins. In the end, user can add those plugins at will (with some plumbing).

2012-06-18 12:46 pm - Felix Schäfer

Holger Just wrote:

> If we manage to move to something like devise, the actual gems are only downstream-requirements of the authentication plugins. In the end, user can add those plugins at will (with some plumbing).

Sure, we just have to keep it in mind :-)