

## ChiliProject - Bug # 1242: Encoding bug with Ruby 1.9.3

|                          |   |                  |                 |
|--------------------------|---|------------------|-----------------|
| <b>Status:</b>           | Open  | <b>Priority:</b> | High            |
| <b>Author:</b>           | Skaag Argonius  | <b>Category:</b> | Text formatting |
| <b>Created:</b>          | 2013-02-22  | <b>Assignee:</b> |                 |
| <b>Updated:</b>          | 2013-02-22  | <b>Due date:</b> |                 |
| <b>Remote issue URL:</b> |   |                  |                 |
| <b>Affected version:</b> | 3.7.0   |                  |                 |
| <b>Description:</b>      | <p>If the language is set to Hebrew (UTF-8 and RTL), and only in some tickets (not all!), and only if the Textile engine is enabled, I get the following error:</p> <pre>Processing IssuesController#show (for 72.225.221.14 at 2013-02-22 05:36:21) [GET]   Parameters: {"controller"=&gt;"issues", "action"=&gt;"show", "id"=&gt;"3857"}   Rendering template within layouts/base   Rendering issues/show.rhtml  ActionView::TemplateError (incompatible character encodings: ASCII-8BIT and UTF-8) on line #2 of app/views/issues/_history.rhtml: 1: &lt;% for journal in journals %&gt; 2:   &lt;%= render_journal issue, journal, :edit_permission =&gt; :edit_issue_notes, 3:     :edit_own_permission =&gt; :edit_own_issue_notes %&gt; 4:   &lt;%= call_hook(:view_issues_history_journal_bottom, { :journal =&gt; journal }) %&gt; 5: &lt;% end %&gt;  app/helpers/journals_helper.rb:59:in `block (2 levels) in render_journal_details' app/helpers/journals_helper.rb:58:in `each' app/helpers/journals_helper.rb:58:in `collect' app/helpers/journals_helper.rb:58:in `block in render_journal_details' app/helpers/journals_helper.rb:57:in `render_journal_details' app/helpers/journals_helper.rb:32:in `render_journal' app/views/issues/_history.rhtml:2:in `block in _run_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/_history.rhtml:1:in `each' app/views/issues/_history.rhtml:1:in _run_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/show.rhtml:103:in `_run_rhtml_app47views47issues47show46rhtml' app/controllers/issues_controller.rb:103:in `block (2 levels) in show' app/controllers/issues_controller.rb:102:in `show' &lt;internal:prelude&gt;:10:in `synchronize' thin (1.5.0) lib/thin/connection.rb:81:in `block in pre_process' thin (1.5.0) lib/thin/connection.rb:79:in `catch' thin (1.5.0) lib/thin/connection.rb:79:in `pre_process' thin (1.5.0) lib/thin/connection.rb:54:in `process' thin (1.5.0) lib/thin/connection.rb:39:in `receive_data' eventmachine (1.0.0) lib/eventmachine.rb:187:in `run_machine' eventmachine (1.0.0) lib/eventmachine.rb:187:in `run' thin (1.5.0) lib/thin/backends/base.rb:63:in `start' thin (1.5.0) lib/thin/server.rb:159:in `start' thin (1.5.0) lib/thin/controllers/controller.rb:86:in `start' thin (1.5.0) lib/thin/runner.rb:187:in `run_command' thin (1.5.0) lib/thin/runner.rb:152:in `run!'</pre> |                  |                 |

```
thin (1.5.0) bin/thin:6:in `<top (required)>'  
/usr/local/rvm/gems/ruby-1.9.3-p374/bin/thin:19:in `load'  
/usr/local/rvm/gems/ruby-1.9.3-p374/bin/thin:19:in `<main>'  
/usr/local/rvm/gems/ruby-1.9.3-p374/bin/ruby_noexec_wrapper:14:in `eval'  
/usr/local/rvm/gems/ruby-1.9.3-p374/bin/ruby_noexec_wrapper:14:in `<main>'
```

Rendering /srv/www/chiliproject/public/500.html (500 Internal Server Error)

You can see two issues:

<http://track.nsa.co.il/issues/3857>

<http://track.nsa.co.il/issues/3858>

The first one gives off an error 500

The second one displays just fine

---

## History