

## ChiliProject - Bug # 302: Protect methods in ApplicationController

<b>Status:</b>	Closed	<b>Priority:</b>	Normal
<b>Author:</b>	Eric Davis	<b>Category:</b>	Refactoring
<b>Created:</b>	2011-03-21	<b>Assignee:</b>	Eric Davis
<b>Updated:</b>	2011-03-24	<b>Due date:</b>	

**Remote issue URL:**

**Affected version:**

**Description:** ApplicationController has a bunch of utility methods that are set to "public". This means they are included in the list of actions for all controllers.

This becomes a annoyance in development if you hit an unknown action:

```
> Unknown action
>
> No action responded to index. Actions: accept_key_auth_actions, api_request?, authorize,
authorize_global, back_url, check_if_login_required, check_project_privacy, current_language,
current_menu_item, day_name, default_search_scope, default_search_scopes, delete_broken_cookies,
deny_access, filename_for_content_disposition, find_current_user, find_issues, find_language,
find_model_object, find_optional_project, find_project, find_project_by_project_id,
find_project_from_association, format_date, format_time, invalid_authenticity_token, l_hours, l_or_humanize,
ll, logged_user=, menu_items, month_name, object_errors_to_json, parse_qvalues, per_page_option,
query_statement_invalid, redirect_back_or_default, redirect_to_project_menu_item, render_403, render_404,
render_attachment_warning_if_needed, render_error, render_feed, require_admin, require_login,
set_flash_from_bulk_issue_save, set_language_if_valid, set_localization, use_layout, user_setup, and
valid_languages
```

### Associated revisions

2011-03-24 10:22 pm - Eric Davis

[#302] Protect ApplicationController methods so they are not considered actions

### History

2011-03-24 09:23 pm - Eric Davis

- Status changed from Open to Closed

Fixed and added to master