

ChiliProject - Feature # 631: SystemStackError in WelcomeController#index with plugin "redmine attach screenshot"

Status:	Declined	Priority:	Normal
Author:	JÃ¶rg Hagemann	Category:	
Created:	2011-09-19	Assignee:	
Updated:	2011-09-19	Due date:	

Remote issue URL:

Affected version:

Description: h1. Remarks

Exception occurs only with `*config.cache_classes = false*`. Does anyone have an idea to get it run with `*config.cache_classes = false*`?

h1. Application Controller: Exception caught

SystemStackError in WelcomeController#index

```
<pre>
stack level too deep
</pre>
```

```
<pre>
RAILS_ROOT: C:/Source/redchili/development
</pre>
```

Application Trace

```
<pre>
C:/Source/redchili/development/vendor/plugins/redmine_attach_screenshot/lib/application_patch.rb:19:in
`find_current_user_without_screenshot'
C:/Source/redchili/development/vendor/plugins/redmine_attach_screenshot/lib/application_patch.rb:19:in
`find_current_user'
C:/Source/redchili/development/app/controllers/application_controller.rb:62:in `user_setup'
</pre>
```

Full Trace

```
<pre>
C:/Source/redchili/development/vendor/plugins/redmine_attach_screenshot/lib/application_patch.rb:19:in
`find_current_user_without_screenshot'
C:/Source/redchili/development/vendor/plugins/redmine_attach_screenshot/lib/application_patch.rb:19:in
`find_current_user'
C:/Source/redchili/development/app/controllers/application_controller.rb:62:in `user_setup'
C:/Programme/Ruby187/lib/ruby/gems/1.8/gems/activesupport-2.3.14/lib/active_support/callbacks.rb:178:in
`send'
C:/Programme/Ruby187/lib/ruby/gems/1.8/gems/activesupport-2.3.14/lib/active_support/callbacks.rb:178:in
`evaluate_method'
C:/Programme/Ruby187/lib/ruby/gems/1.8/gems/activesupport-2.3.14/lib/active_support/callbacks.rb:166:in
`call'
C:/Programme/Ruby187/lib/ruby/gems/1.8/gems/actionpack-2.3.14/lib/action_controller/filters.rb:225:in `call'
C:/Programme/Ruby187/lib/ruby/gems/1.8/gems/actionpack-2.3.14/lib/action_controller/filters.rb:629:in
`run_before_filters'
C:/Programme/Ruby187/lib/ruby/gems/1.8/gems/actionpack-2.3.14/lib/action_controller/filters.rb:615:in
`call_filters'
```

C:/Programme/Ruby187/lib/ruby/gems/1.8/gems/actionpack-2.3.14/lib/action_controller/filters.rb:610:in
`perform_action_without_benchmark'
C:/Programme/Ruby187/lib/ruby/gems/1.8/gems/actionpack-2.3.14/lib/action_controller/benchmarking.rb:68:in
`perform_action_without_rescue'
C:/Programme/Ruby187/lib/ruby/gems/1.8/gems/activesupport-2.3.14/lib/active_support/core_ext/benchmark.
rb:17:in `ms'
C:/Programme/Ruby187/lib/ruby/1.8/benchmark.rb:308:in `realtime'
C:/Programme/Ruby187/lib/ruby/gems/1.8/gems/activesupport-2.3.14/lib/active_support/core_ext/benchmark.
rb:17:in `ms'
C:/Programme/Ruby187/lib/ruby/gems/1.8/gems/actionpack-2.3.14/lib/action_controller/benchmarking.rb:68:in
`perform_action_without_rescue'
C:/Programme/Ruby187/lib/ruby/gems/1.8/gems/actionpack-2.3.14/lib/action_controller/rescue.rb:160:in
`perform_action_without_flash'
C:/Programme/Ruby187/lib/ruby/gems/1.8/gems/actionpack-2.3.14/lib/action_controller/flash.rb:151:in
`perform_action'
C:/Programme/Ruby187/lib/ruby/gems/1.8/gems/actionpack-2.3.14/lib/action_controller/base.rb:532:in `send'
C:/Programme/Ruby187/lib/ruby/gems/1.8/gems/actionpack-2.3.14/lib/action_controller/base.rb:532:in
`process_without_filters'
C:/Programme/Ruby187/lib/ruby/gems/1.8/gems/actionpack-2.3.14/lib/action_controller/filters.rb:606:in
`process'
C:/Programme/Ruby187/lib/ruby/gems/1.8/gems/actionpack-2.3.14/lib/action_controller/base.rb:391:in
`process'
C:/Programme/Ruby187/lib/ruby/gems/1.8/gems/actionpack-2.3.14/lib/action_controller/base.rb:386:in `call'
C:/Programme/Ruby187/lib/ruby/gems/1.8/gems/actionpack-2.3.14/lib/action_controller/routing/route_set.rb:4
38:in `call'
C:/Programme/Ruby187/lib/ruby/gems/1.8/gems/actionpack-2.3.14/lib/action_controller/dispatcher.rb:87:in
`dispatch'
C:/Programme/Ruby187/lib/ruby/gems/1.8/gems/actionpack-2.3.14/lib/action_controller/dispatcher.rb:121:in
`_call'
C:/Programme/Ruby187/lib/ruby/gems/1.8/gems/actionpack-2.3.14/lib/action_controller/dispatcher.rb:130:in
`build_middleware_stack'
C:/Programme/Ruby187/lib/ruby/gems/1.8/gems/activerecord-2.3.14/lib/active_record/query_cache.rb:29:in
`call'
C:/Programme/Ruby187/lib/ruby/gems/1.8/gems/activerecord-2.3.14/lib/active_record/query_cache.rb:29:in
`call'
C:/Programme/Ruby187/lib/ruby/gems/1.8/gems/activerecord-2.3.14/lib/active_record/connection_adapters/ab
stract/query_cache.rb:34:in `cache'
C:/Programme/Ruby187/lib/ruby/gems/1.8/gems/activerecord-2.3.14/lib/active_record/query_cache.rb:9:in
`cache'
C:/Programme/Ruby187/lib/ruby/gems/1.8/gems/activerecord-2.3.14/lib/active_record/query_cache.rb:28:in
`call'
C:/Programme/Ruby187/lib/ruby/gems/1.8/gems/activerecord-2.3.14/lib/active_record/connection_adapters/ab
stract/connection_pool.rb:361:in `call'
C:/Programme/Ruby187/lib/ruby/gems/1.8/gems/actionpack-2.3.14/lib/action_controller/string_coercion.rb:25:
in `call'
C:/Programme/Ruby187/lib/ruby/gems/1.8/gems/rack-1.1.2/lib/rack/head.rb:9:in `call'
C:/Programme/Ruby187/lib/ruby/gems/1.8/gems/rack-1.1.2/lib/rack/methodoverride.rb:24:in `call'
C:/Programme/Ruby187/lib/ruby/gems/1.8/gems/actionpack-2.3.14/lib/action_controller/params_parser.rb:15:
in `call'
C:/Programme/Ruby187/lib/ruby/gems/1.8/gems/actionpack-2.3.14/lib/action_controller/session/cookie_store.
rb:99:in `call'
C:/Programme/Ruby187/lib/ruby/gems/1.8/gems/actionpack-2.3.14/lib/action_controller/failsafe.rb:26:in `call'
C:/Programme/Ruby187/lib/ruby/gems/1.8/gems/rack-1.1.2/lib/rack/lock.rb:11:in `call'

```
C:/Programme/Ruby187/lib/ruby/gems/1.8/gems/rack-1.1.2/lib/rack/lock.rb:11:in `synchronize'  
C:/Programme/Ruby187/lib/ruby/gems/1.8/gems/rack-1.1.2/lib/rack/lock.rb:11:in `call'  
C:/Programme/Ruby187/lib/ruby/gems/1.8/gems/actionpack-2.3.14/lib/action_controller/dispatcher.rb:114:in  
`call'  
C:/Programme/Ruby187/lib/ruby/gems/1.8/gems/actionpack-2.3.14/lib/action_controller/reloader.rb:34:in `run'  
C:/Programme/Ruby187/lib/ruby/gems/1.8/gems/actionpack-2.3.14/lib/action_controller/dispatcher.rb:108:in  
`call'  
C:/Programme/Ruby187/lib/ruby/gems/1.8/gems/rails-2.3.14/lib/rails/rack/static.rb:31:in `call'  
C:/Programme/Ruby187/lib/ruby/gems/1.8/gems/rack-1.1.2/lib/rack/urlmap.rb:47:in `call'  
C:/Programme/Ruby187/lib/ruby/gems/1.8/gems/rack-1.1.2/lib/rack/urlmap.rb:41:in `each'  
C:/Programme/Ruby187/lib/ruby/gems/1.8/gems/rack-1.1.2/lib/rack/urlmap.rb:41:in `call'  
C:/Programme/Ruby187/lib/ruby/gems/1.8/gems/rails-2.3.14/lib/rails/rack/log_tailer.rb:17:in `call'  
C:/Programme/Ruby187/lib/ruby/gems/1.8/gems/rack-1.1.2/lib/rack/content_length.rb:13:in `call'  
C:/Programme/Ruby187/lib/ruby/gems/1.8/gems/rack-1.1.2/lib/rack/handler/webrick.rb:48:in `service'  
C:/Programme/Ruby187/lib/ruby/1.8/webrick/httpserver.rb:104:in `service'  
C:/Programme/Ruby187/lib/ruby/1.8/webrick/httpserver.rb:65:in `run'  
C:/Programme/Ruby187/lib/ruby/1.8/webrick/server.rb:173:in `start_thread'  
C:/Programme/Ruby187/lib/ruby/1.8/webrick/server.rb:162:in `start'  
C:/Programme/Ruby187/lib/ruby/1.8/webrick/server.rb:162:in `start_thread'  
C:/Programme/Ruby187/lib/ruby/1.8/webrick/server.rb:95:in `start'  
C:/Programme/Ruby187/lib/ruby/1.8/webrick/server.rb:92:in `each'  
C:/Programme/Ruby187/lib/ruby/1.8/webrick/server.rb:92:in `start'  
C:/Programme/Ruby187/lib/ruby/1.8/webrick/server.rb:23:in `start'  
C:/Programme/Ruby187/lib/ruby/1.8/webrick/server.rb:82:in `start'  
C:/Programme/Ruby187/lib/ruby/gems/1.8/gems/rack-1.1.2/lib/rack/handler/webrick.rb:14:in `run'  
C:/Programme/Ruby187/lib/ruby/gems/1.8/gems/rails-2.3.14/lib/commands/server.rb:111  
C:/Source/redchili/development/script/server:3:in `require'  
C:/Source/redchili/development/script/server:3  
-e:1:in `load'  
-e:1  
</pre>
```

h1. Request

Parameters: None

Show session dump: ---

h1. Response

Headers:

```
{"Content-Type"=>"",  
 "Cache-Control"=>"no-cache"}
```

h1. Environment

```
<pre>  
WinXPSP3, Ruby 1.8.7  
</pre>
```

```
<pre>  
config.cache_classes = false
```

```
</pre>
```

h1. Gems

```
<pre>
```

```
*** LOCAL GEMS ***
```

```
actionmailer (2.3.14, 2.3.5)
actionpack (2.3.14, 2.3.5)
activerecord (2.3.14, 2.3.5)
activeresource (2.3.14, 2.3.5)
activesupport (2.3.14, 2.3.5)
bundler (1.0.18)
cgi_multipart_eof_fix (2.5.0)
coderay (0.9.8)
edavis10-object_daddy (0.4.3)
fasterscv (1.5.4)
gem_plugin (0.2.3)
i18n (0.4.2)
metaclass (0.0.1)
mocha (0.10.0)
mongrel (1.1.5 x86-mingw32)
mongrel_service (0.3.4 i386-mswin32)
mysql (2.8.1 x86-mingw32)
rack (1.1.2, 1.1.0, 1.0.1)
rails (2.3.14, 2.3.5)
rake (0.9.2, 0.8.7)
rdoc (3.9.4)
rmagick (2.12.0 mswin32)
ruby-openid (2.1.8)
rubytrees (0.5.3)
shoulda (2.10.3)
win32-service (0.5.2 mswin32)
</pre>
```

History

2011-09-19 04:55 pm - Holger Just

- Status changed from Open to Declined

This is exclusively a plugin issue. Please contact the plugin author directly as we can not provide support for every plugin out there.

Generally, you should not run a production environment with disabled `@config.cache_classes@` as you will face performance issues as well as loading issues with plugins not properly registering their patches. This seems to be the case here too.