

ChiliProject - Bug # 699: Internal Error when viewing user profiles

| | | | |
|--------------------------|--|------------------|-----|
| Status: | Needs more information | Priority: | Low |
| Author: | Lance Verst | Category: | |
| Created: | 2011-11-14 | Assignee: | |
| Updated: | 2012-01-03 | Due date: | |
| Remote issue URL: | | | |
| Affected version: | | | |
| Description: | <p>I am not certain if this is a problem with ChiliProject or a plugin I have added. The problem: When visiting a page such as: http://my.chiliproject.site/users/3 an Internal Error is generated. This only occurs when the user is logged into ChiliProject. Logged out users see profiles normally.</p> <p>*ChiliProject Version:* 2.4.0.ee543489f *Plugins Installed:* author, contact_form_plugin, extended_profile, meta_plugin, project_settings_hook_plugin, redmine_scm_plugin, redmine_wiki_extensions, sidebar_plugin</p> <p>Results from the log file: <pre> Processing UsersController#show (for 85.5.236.196 at 2011-11-14 09:43:49) [GET] Parameters: {"action"=>"show", "id"=>"3", "controller"=>"users"} ActiveRecord::ConfigurationError (Association named 'wiki_page' was not found; perhaps you misspelled it?): lib/redmine/activity/fetcher.rb:83:in `events' lib/redmine/activity/fetcher.rb:82:in `each' lib/redmine/activity/fetcher.rb:82:in `events' lib/redmine/activity/fetcher.rb:81:in `each' lib/redmine/activity/fetcher.rb:81:in `events' app/controllers/users_controller.rb:69:in `show' /dh/passenger/lib/phusion_passenger/rack/request_handler.rb:92:in `process_request' /dh/passenger/lib/phusion_passenger/abstract_request_handler.rb:207:in `main_loop' /dh/passenger/lib/phusion_passenger/railz/application_spawner.rb:400:in `start_request_handler' /dh/passenger/lib/phusion_passenger/railz/application_spawner.rb:351:in `handle_spawn_application' /dh/passenger/lib/phusion_passenger/utils.rb:184:in `safe_fork' /dh/passenger/lib/phusion_passenger/railz/application_spawner.rb:349:in `handle_spawn_application' /dh/passenger/lib/phusion_passenger/abstract_server.rb:352:in `__send__' /dh/passenger/lib/phusion_passenger/abstract_server.rb:352:in `main_loop' /dh/passenger/lib/phusion_passenger/abstract_server.rb:196:in `start_synchronously' /dh/passenger/lib/phusion_passenger/abstract_server.rb:163:in `start' /dh/passenger/lib/phusion_passenger/railz/application_spawner.rb:209:in `start' /dh/passenger/lib/phusion_passenger/spawn_manager.rb:262:in `spawn_rails_application' /dh/passenger/lib/phusion_passenger/abstract_server_collection.rb:126:in `lookup_or_add' /dh/passenger/lib/phusion_passenger/spawn_manager.rb:256:in `spawn_rails_application' /dh/passenger/lib/phusion_passenger/abstract_server_collection.rb:80:in `synchronize' /dh/passenger/lib/phusion_passenger/abstract_server_collection.rb:79:in `synchronize' /dh/passenger/lib/phusion_passenger/spawn_manager.rb:255:in `spawn_rails_application' /dh/passenger/lib/phusion_passenger/spawn_manager.rb:154:in `spawn_application' /dh/passenger/lib/phusion_passenger/spawn_manager.rb:287:in `handle_spawn_application' /dh/passenger/lib/phusion_passenger/abstract_server.rb:352:in `__send__' /dh/passenger/lib/phusion_passenger/abstract_server.rb:352:in `main_loop' /dh/passenger/lib/phusion_passenger/abstract_server.rb:196:in `start_synchronously' Rendering /home/XXX/yyy/public/500.html (500 Internal Server Error)</p> | | |

</pre>

Associated revisions

2009-02-11 08:06 pm - Eric Davis

Unpacked OpenID gem. #699

git-svn-id: svn+ssh://rubyforge.org/var/svn/redmine/trunk@2437 e93f8b46-1217-0410-a6f0-8f06a7374b81

2009-02-11 08:06 pm - Eric Davis

Added OpenID tables. #699

git-svn-id: svn+ssh://rubyforge.org/var/svn/redmine/trunk@2439 e93f8b46-1217-0410-a6f0-8f06a7374b81

2009-02-11 08:06 pm - Eric Davis

Added identity_url to User. #699

git-svn-id: svn+ssh://rubyforge.org/var/svn/redmine/trunk@2440 e93f8b46-1217-0410-a6f0-8f06a7374b81

2009-02-11 08:07 pm - Eric Davis

Fixed a bug in open_id_authentication, where relative_url_root is defined on ActionController::AbstractRequest not Base

#699

git-svn-id: svn+ssh://rubyforge.org/var/svn/redmine/trunk@2441 e93f8b46-1217-0410-a6f0-8f06a7374b81

2009-02-11 08:07 pm - Eric Davis

Added the ability to login via OpenID.

- * Refactored AccountController#login to use either password or openid based authentication
- * Extracted AccountController#successful_authentication to setup a user's session cookies and redirect
- * Implemented the start of AccountController#open_id_authentication which will check with the OpenID server and perform authentication.
- * Added text field for the OpenID url to /login
- * Added identity_url for OpenID to the user forms.
- * Added option to login with OpenID to the register form.
- * Added a root url route, which is used by the OpenID plugin

#699

git-svn-id: svn+ssh://rubyforge.org/var/svn/redmine/trunk@2442 e93f8b46-1217-0410-a6f0-8f06a7374b81

2009-02-11 08:07 pm - Eric Davis

Adding OpenID mock and test. #699

git-svn-id: svn+ssh://rubyforge.org/var/svn/redmine/trunk@2444 e93f8b46-1217-0410-a6f0-8f06a7374b81

2009-02-11 08:07 pm - Eric Davis

Added tests for the other OpenID authentication cases. #699

git-svn-id: svn+ssh://rubyforge.org/var/svn/redmine/trunk@2445 e93f8b46-1217-0410-a6f0-8f06a7374b81

2009-02-11 08:07 pm - Eric Davis

Added user setup needed based on the system's registration settings

- * Copied the register action's chunk of code used to setup the account based on Setting.self_registration
- * Extracted method for when onthefly_creation_failed
- * Added tests to confirm the behavior

#699

git-svn-id: svn+ssh://rubyforge.org/var/svn/redmine/trunk@2446 e93f8b46-1217-0410-a6f0-8f06a7374b81

2009-02-11 08:07 pm - Eric Davis

Refactored common methods out of register and open_id_authenticate

- * Extracted register_by_email_activation
- * Extracted register_automatically
- * Extracted register_manually_by_administrator

#699

git-svn-id: svn+ssh://rubyforge.org/var/svn/redmine/trunk@2447 e93f8b46-1217-0410-a6f0-8f06a7374b81

2009-02-11 08:07 pm - Eric Davis

Prevent registration via OpenID if self registration is off. #699

git-svn-id: svn+ssh://rubyforge.org/var/svn/redmine/trunk@2448 e93f8b46-1217-0410-a6f0-8f06a7374b81

2009-02-11 08:24 pm - Eric Davis

Added a system setting for allowing OpenID logins and registrations

- * Defaults to off
- * Is set in the Administration panel under Authentication

#699

git-svn-id: svn+ssh://rubyforge.org/var/svn/redmine/trunk@2449 e93f8b46-1217-0410-a6f0-8f06a7374b81

2009-02-11 08:45 pm - Eric Davis

Added a space so words don't runtogeatherlikethis. #699

git-svn-id: svn+ssh://rubyforge.org/var/svn/redmine/trunk@2450 e93f8b46-1217-0410-a6f0-8f06a7374b81

2009-02-12 02:32 am - Eric Davis

Fixed the bundled ruby-openid gem

- * The open_id_authentication plugin will require the gem automatically so it doesn't need to be added to environment.rb
- * Changed the version requirement on the open_id_authentication to match

the latest stable version. Rails config.gem looks for a directory named after that specific version and will not load newer versions.

#699

git-svn-id: svn+ssh://rubyforge.org/var/svn/redmine/trunk@2452 e93f8b46-1217-0410-a6f0-8f06a7374b81

2009-02-12 05:31 am - Eric Davis

Normalize the identity_url when it's set.

OpenId uses a specific format for the url it uses which requires the protocol and trailing slash. This change will normalize the value to when a user sets it.

#699

git-svn-id: svn+ssh://rubyforge.org/var/svn/redmine/trunk@2453 e93f8b46-1217-0410-a6f0-8f06a7374b81

2009-02-12 06:19 pm - Jean-Philippe Lang

Hide openid stuff on my account if disabled (#699).

git-svn-id: svn+ssh://rubyforge.org/var/svn/redmine/trunk@2454 e93f8b46-1217-0410-a6f0-8f06a7374b81

2009-02-12 06:30 pm - Jean-Philippe Lang

Adds missing strings (#699).

git-svn-id: svn+ssh://rubyforge.org/var/svn/redmine/trunk@2455 e93f8b46-1217-0410-a6f0-8f06a7374b81

History

2011-11-15 11:12 am - Felix Schäfer

That looks like an error in a plugin indeed.

2011-11-15 01:31 pm - Simon Stearn

I see a similar error - although this seems to happen for all users for me. Only plugin we seem to have in common is the extended_profile plugin. My site is on Chiliproject 2.4. The error message refers to a different association.

Processing UsersController#show (for <deleted ip> at 2011-11-15 13:27:09) [GET]

Parameters: {"action"=>"show", "id"=>"76", "controller"=>"users"}

ActiveRecord::ConfigurationError (Association named 'project' was not found; perhaps you misspelled it?):

lib/redmine/activity/fetcher.rb:83:in `events'

lib/redmine/activity/fetcher.rb:82:in `each'

lib/redmine/activity/fetcher.rb:82:in `events'

I will look into this a little further when I get time.

2011-12-01 05:12 pm - Felix Schäfer

Simon, can you confirm this was related to a plugin, I'd like to close this issue if that was the case.

2011-12-16 02:19 pm - Alf Gaida

Hi, running into this error too in two independent installations, can break this down to

lib/redmine/activity/fetcher.rb

<pre>

```
# Returns an array of events for the given date range
# sorted in reverse chronological order
def events(from = nil, to = nil, options={})
  e = []
  @options[:limit] = options[:limit]

  @scope.each do |event_type|
    constantized_providers(event_type).each do |provider|
      # e += provider.find_events(event_type, @user, from, to, @options)
    end
  end
end
```

</pre>

With the error-line documented out, the user-pages render. Unfortunately my knowledge about ruby and chili dont allow me to investigate further.

2011-12-17 11:41 am - Felix Schäfer

Alf, what plugins do you have installed?

2011-12-19 12:51 pm - Alf Gaida

- * Redmine Checkout plugin
- * Redmine Assets plugin
- * Redmine Time Tracker plugin
- * Redmine Wiki Extensions plugin
- * Redmine Wiki Issue Details plugin
- * Timesheet Plugin

2011-12-19 08:55 pm - Felix Schäfer

That seems like an error that would come from a plugin that's incompatible with ChiliProject 2.x+, does any of those create an activity? Could you try disabling it?

2011-12-22 08:20 pm - Alf Gaida

I'll try it tomorrow.

2012-01-03 10:40 pm - Holger Just

- *Status changed from Open to Needs more information*