

## ChiliProject - Bug # 972: Non-latin anchors doesn't work in wiki

Status:	Open	Priority:	Normal		
Author:	Vladislav Poluhin	Category:			
Created:	2012-04-10	Assignee:	Felix Schäfer		
Updated:	2012-05-23	Due date:			
<b>Remote issue URL:</b>					
Affected version:	3.1.0				
Description:	I create wiki-page with content:				
<pre>&lt;pre&gt; h2. ЁÑ€Ð,Ð½Ñ,ÐµÑ€Ñ&lt; h2. Printers &lt;/pre&gt;</pre>					
This is rendered as:					
<pre>&lt;pre&gt;&lt;code class="html"&gt; &lt;a name=""&gt;&lt;/a&gt; &lt;h2&gt;ЁÑ€Ð,Ð½Ñ,ÐµÑ€Ñ&lt;a href="#" class="wiki-anchor"&gt;Â¶&lt;/a&gt;&lt;/h2&gt;  &lt;a name="Printers"&gt;&lt;/a&gt; &lt;h2&gt;Printers&lt;a href="#Printers" class="wiki-anchor"&gt;Â¶&lt;/a&gt;&lt;/h2&gt; &lt;/code&gt;&lt;/pre&gt;</pre>					
Anchor for russian header is empty.					

### Associated revisions

#### 2008-04-01 09:40 pm - Jean-Philippe Lang

Add predefined date ranges to the time report in the same way as the details view (closes #972). It nows defaults to 'All time'.

This patch also fixes time report periods (columns) computation.

git-svn-id: http://redmine.rubyforge.org/svn/trunk@1318 e93f8b46-1217-0410-a6f0-8f06a7374b81

### History

#### 2012-05-15 08:21 am - Ilya Turkin

The problem is the following: ApplicationHelper#parse\_headings parse the strings with \w metacharacter: @anchor = item.gsub(%r{[^\\w\\s\\-]}, ".").gsub(%r{\s+(-+\s\*)?}, '-')@.

AFAIK after ruby 1.9.1p378 \w is ASCII, so to correct the work with non-latin characters you need to substitute \w with \p{Word}.

#### 2012-05-17 08:10 pm - Felix Schäfer

Can anyone confirm this is a problem on 1.9 but not on 1.8?

#### 2012-05-22 09:39 am - Ilya Turkin

- Assignee set to Felix Schäfer

```
<pre>
<code class="Python">ilya@ubuntu:~$ cd chiliproject/
ilya@ubuntu:~/chiliproject$ rvm use 1.8.7
Using /home/ilya/.rvm/gems/ruby-1.8.7-p358
ilya@ubuntu:~/chiliproject$ bundle exec script/console
Loading development environment (Rails 2.3.14)
```

NOTE: Gem.source\_index is deprecated, use Specification. It will be removed on or after 2011-11-01.

Gem.source\_index called from /home/ilya/.rvm/gems/ruby-1.8.7-p358/gems/rails-2.3.14/lib/rails/gem\_dependency.rb:21.

```
>> a = "Ñ‡Ð»Ð,Ð¿Ñ€Ð¾Ð'Ð¶ÐµÐºÑ,"
```

```
=> "Ñ‡Ð»Ð,Ð¿Ñ€Ð¾Ð'Ð¶ÐµÐºÑ,"
```

```
>> a.gsub(/\w/, "")
```

```
=> ""
```

```
>> exit
```

```
ilya@ubuntu:~/chiliproject$ rvm use 1.9.2
```

```
Using /home/ilya/.rvm/gems/ruby-1.9.2-p320
```

```
ilya@ubuntu:~/chiliproject$ bundle exec script/console
```

```
Loading development environment (Rails 2.3.14)
```

NOTE: Gem.source\_index is deprecated, use Specification. It will be removed on or after 2011-11-01.

Gem.source\_index called from /home/ilya/.rvm/gems/ruby-1.9.2-p320/gems/rails-2.3.14/lib/rails/gem\_dependency.rb:21.

```
>> a = "Ñ‡Ð»Ð,Ð¿Ñ€Ð¾Ð'Ð¶ÐµÐºÑ,"
```

```
=> "Ñ‡Ð»Ð,Ð¿Ñ€Ð¾Ð'Ð¶ÐµÐºÑ,"
```

```
>> a.gsub(/\w/, "")
```

```
=> "Ñ‡Ð»Ð,Ð¿Ñ€Ð¾Ð'Ð¶ÐµÐºÑ,"
```

```
>> a.gsub(/\p{Word}/, "")
```

```
=> ""</code>
```

```
</pre>
```

## 2012-05-22 10:44 am - Holger Just

The following patch solves the issue:

```
<pre><code class="diff">
diff --git a/config/environment.rb b/config/environment.rb
index 84d6d1f..600597c 100644
--- a/config/environment.rb
+++ b/config/environment.rb
@@ -24,9 +24,12 @@ ENV['RAILS_ENV'] ||= ENV['RACK_ENV'] if ENV['RACK_ENV']
 # Specifies gem version of Rails to use when vendor/rails is not present
 RAILS_GEM_VERSION = '2.3.14' unless defined? RAILS_GEM_VERSION

+# this is replaced by config.encoding = "utf-8" in rails3
if RUBY_VERSION >= '1.9'
  Encoding.default_external = 'UTF-8'
  Encoding.default_internal = 'UTF-8'
+else
+ $KCODE='UTF-8'
end

# Bootstrap the Rails environment, frameworks, and default configuration
</code></pre>
```

Two minor potential issues:

\* unicode stuff might be invalid in anchors

\* It might break other regexes relying on @\w@ being only @[\w-zA-Z0-9\_]@

## 2012-05-23 06:01 am - Ilya Turkin

Holger Just wrote:

> The following patch solves the issue:

Sorry, but this is not the solution because the problem not with 1.8 but 1.9.